


RESERVE SERIES

RS 1 Panel

MUZA
EST. 1928



PRODUCT OVERVIEW

MATERIALS

- 24 gauge steel
- .032 aluminum
- 22 gauge steel
- .040 aluminum

SPECIFICATIONS

- 6" coverage x 1" depth

DESIGN CONSIDERATIONS

- 25' length max
- 12" length minimum

COLORS

- Barrel Collection

TESTING

- ASTM E1592
- ASTM E330

PRODUCT FEATURES

- Fully tested to meet all design criteria
- Vertical or horizontal installations
- Micro-seam corners
- Concealed fastener
- Value-drive system


Oil canning is not a cause for rejection



RESERVE SERIES

RS 2 Panel

MUZA
EST. 1928



PRODUCT OVERVIEW

MATERIALS

- 24 gauge steel
- .032 aluminum
- 22 gauge steel
- .040 aluminum

SPECIFICATIONS

- 6.5" coverage x 1" depth
- 7" coverage x 1" depth

DESIGN CONSIDERATIONS

- 25' length max
- 12" length minimum

COLORS

- Barrel Collection

TESTING

- ASTM E1592
- ASTM E330

PRODUCT FEATURES

- Fully tested to meet all design criteria
- Vertical or horizontal installations
- Micro-seam corners
- Concealed fastener
- Value-drive system


Oil canning is not a cause for rejection



RESERVE SERIES

RS 3 Panel

MUZA
EST. 1928



PRODUCT OVERVIEW

MATERIALS

- 24 gauge steel
- .032 aluminum
- 22 gauge steel
- .040 aluminum

SPECIFICATIONS

- 10" coverage x 7/8" depth

DESIGN CONSIDERATIONS

- 25' length max
- 12" length minimum

COLORS

- Barrel Collection

TESTING

- ASTM E1592
- ASTM E330

PRODUCT FEATURES

- Fully tested to meet all design criteria
- Vertical or horizontal installations
- Micro-seam corners
- Concealed fastener
- Value-drive system


Oil canning is not a cause for rejection



RESERVE SERIES

RS 4 Panel

MUZA
EST. 1928



PRODUCT OVERVIEW

MATERIALS

- 24 gauge steel
- .032 aluminum
- 22 gauge steel
- .040 aluminum

SPECIFICATIONS

- 14" coverage x 7/8" depth

DESIGN CONSIDERATIONS

- 25' length max
- 12" length minimum

COLORS

- Barrel Collection

TESTING

- ASTM E1592
- ASTM E330

PRODUCT FEATURES

- Fully tested to meet all design criteria
- Vertical or horizontal installations
- Micro-seam corners
- Concealed fastener
- Value-drive system


Oil canning is not a cause for rejection



RESERVE SERIES

RS 5 Panel

MÜZA
EST. 1928



PRODUCT OVERVIEW

MATERIALS

- 24 gauge steel
- .032 aluminum
- 22 gauge steel
- .040 aluminum

SPECIFICATIONS

- 10" coverage x 7/8" depth

DESIGN CONSIDERATIONS

- 25' length max
- 12" length minimum

COLORS

- Barrel Collection

TESTING

- ASTM E1592
- ASTM E330

PRODUCT FEATURES

- Fully tested to meet all design criteria
- Vertical or horizontal installations
- Micro-seam corners
- Concealed fastener
- Value-drive system


Oil canning is not a cause for rejection



RESERVE SERIES

RS 6 Panel

MUZA
EST. 1928



PRODUCT OVERVIEW

MATERIALS

- 24 gauge steel
- .032 aluminum
- 22 gauge steel
- .040 aluminum

SPECIFICATIONS

- 14" coverage x 7/8" depth

DESIGN CONSIDERATIONS

- 25' length max
- 12" length minimum

COLORS

- Barrel Collection

TESTING

- ASTM E1592
- ASTM E330

PRODUCT FEATURES

- Fully tested to meet all design criteria
- Vertical or horizontal installations
- Micro-seam corners
- Concealed fastener
- Value-drive system



Oil canning is not a cause for rejection



RESERVE SERIES

MZ Slat

MÜZA
EST. 1928



PRODUCT OVERVIEW

MATERIALS

- 24 gauge steel

DESIGN CONSIDERATIONS

- 15' length max

COLORS

- Barrel Collection

PRODUCT FEATURES

- Complete the design with the MZ Slat
- Allows air flow
- Create an aesthetic look
- Create an accent fin tube
- Installs with concealed fasteners Internal support

